



Modello dal design sobrio e lineare nelle due versioni (850 e 870), è composto da telaio verniciato nero o cromato con o senza braccioli e da sedile e schienale in polipropilene estremamente confortevoli, da imbottire.  
Le sedute sono facilmente impilabili così da soddisfare chi ha esigenze di spazio.

*Model featuring a simple linear design in two versions (850 and 870) consisting of black painted or chromium-plated frame with or without armrests and ultra-comfort polypropylene seat and backrest for upholstery.  
The chairs can be easily stacked to satisfy all space requirements.*

# BRIDGE 850 - 870

Design: OMP R&D



COMFORTABLE AND  
VERSATILE, BRIDGE IS  
STACKABLE AND  
WELL-ACCESSORISED



BRIDGE 850 WITH ARMS FOR UPHOLSTERY



BRIDGE 870



BRIDGE 870 WITH ARMS



**01.**  
Solo in versione per tappezzeria, i pannelli  
e coperture sono in polipropilene  
*Only, for upholstery, with polypropylene  
panels and covers*

**02.**  
Bracciolo in nylon per telai  
*Nylon armrest for frames*



**03.**  
Bracciolo in nylon per fusti  
*Nylon armrest for frames*

**04.**  
Impilabile fino a 6 sedie  
solo su carrello  
*Stackable up to 6 chairs  
only on trolley*



# BRIDGE 850 - 870

Design: OMP R&D

Disponibile solo in versione tappezzabile, i pannelli e coperture sono in polipropilene.

Le plastiche delle coperture sono nere e i puntali sono in polipropilene colore nero.

I braccioli sono nylon caricato fibra vetro.

Le gambe sono in tubo tondo Ø 25 mm, spessore 1,5 mm, secondo norma UNI 10305-3, mentre i traversi sono in tubo Ø 18 mm spessore 1,5 mm secondo norma UNI 10305-3.

Impilabilità massima: 6 sedie.

Carrello verniciato in epossipoliestere nero per trasporto massimo 6 sedie disponibile a catalogo.

Finitura telaio: cromato con spessore medio di 5 micron, verniciato con polveri epossipoliestere di colore nero gofrato con spessore medio di 50 micron.

*Available only in version for upholstery, with polypropylene panels and covers.*

*The plastic parts of the covers are black and the end-pieces are in black polypropylene.*

*Fiberglass-filled nylon armrests.*

*The legs are in round tube Ø 25 mm, thickness 1.5 mm, in compliance with UNI 10305-3 standard, crosspieces in tube Ø 18 mm, thickness 1.5 mm, in compliance with UNI 10305-3 standard.*

*Maximum stackability: 6 chairs.*

*Black epoxy-polyester powder coated trolley for transporting maximum 6 chairs, available from catalogue.*

*Frame finish: chromium plating, average thickness 5 microns, or embossed black epoxy-polyester powder coating, average thickness 50 microns.*

## Colori plastiche

Plastic colours



Nero  
Black

## Parti in metallo

Metal parts




Verniciato nero gofrato  
Embossed black painted




Cromato  
Chromium plated


BRIDGE 850 FOR UPHOLSTERY



BRIDGE 850 WITH ARMS FOR UPHOLSTERY



BRIDGE 870



BRIDGE 870 WITH ARMS

