



Forte nella struttura e leggera nelle linee, Rewind è una sedia in polipropilene proposta in diversi colori che giocano a contrasto con l'elegante telaio in acciaio cromato. Impilabile ed ergonomica, è disponibile con braccioli, accessoriata con tavoletta per scrittura e agganci per composizioni in file. È prodotta anche nelle versioni cantilever, slitta, sgabello, girevole e su panca. Può montare pannelli imbottiti su sedile e schienale per maggiore comfort.

With its robust structure and lightweight lines, Rewind is a polypropylene chair available in different colours which contrast with the elegant chromium-plated steel frame. Stackable and ergonomic, it is available with armrests, accessorised with tablet arm and hooks for compositions in rows. It also comes in the cantilever, sled, stool, swivel and bench versions. Padded panels can be fitted on the seats and backrest for greater comfort.

REWIND 570

Design: Giancarlo Bisaglia



REWIND COMES WITH A
PERFORATED DESIGN BACKREST,
WHICH PROVIDES GREAT
PERSONALITY



REWIND 570 4 LEGS



REWIND 570 4 LEGS FOR UPHOLSTERY WITH ARMS



REWIND 570 4 LEGS WITH CASTORS



REWIND 570 SWIVEL



REWIND 570 SWIVEL WITH ARMS



REWIND 570 CANTILEVER



REWIND 570 CANTILEVER WITH ARMS



REWIND 570 STOOL



REWIND 570 ON CORE BENCH



REWIND 570 ON LINEAR BENCH



REWIND 570 ON 500 BENCH

01.
 Sedile e schienale in polipropilene
 Telaio in acciaio cromato, verniciato grigio
 o nero
 Polypropylene seat and backrest
 Chromium-plated and grey or black
 painted steel frame



02.
 Tavoletta scrittoio
 Writing tablet

03.
 Agganci
 Linking device



04.
 Impilabile fino a 6,
 con carrello fino a 10
 Stackable up to 6 chairs
 with trolley stackable up to 10

REWIND 570

Design: Giancarlo Bisaglia

Sedile e schienale in polipropilene. Carter sottosedile in polipropilene caricato fibra di vetro. A richiesta e per lotti d'acquisto da definire con l'ufficio commerciale, è possibile avere sedile e schienale ignifugo. Nella versione 4 gambe possibilità di avere agganci tra sedia e sedia in tondino Ø 5 mm cromato da fissare al sottosedile. I puntali sono in polipropilene colore nero. Gambe anteriori, posteriori, struttura sottosedile e telaio slitta in tubo tondo Ø 22 mm, spessore 1,5 mm, secondo norma UNI 10305-3. Impilabilità massima: 6 sedie. Carrello verniciato in epossipoliestere nero per trasporto massimo 10 sedie disponibile a catalogo. Struttura sedile e supporto schienale del telaio cantilever in tubo tondo Ø 22 mm, spessore 2,5 mm in ASF420 secondo norma UNI 10305-3. Piedini polipropilene colore nero nella versione cantilever. Versione sgabello: gambe anteriori, posteriori e struttura sottosedile in tubo tondo Ø 22 mm, spessore 1,5 mm, secondo norma UNI 10305-3. Poggiapiedi in tondino Ø 11 mm. Finitura telaio: cromato con spessore medio di 5 micron, verniciato con polveri epossipoliestere di colore nero o grigio gofrato con spessore medio di 50 micron. Versione girevole: scocca in tubo tondo Ø 22 mm, spessore 1,5 mm, secondo norma UNI 10305-3. Piastra con leva a gas per la regolazione dell'altezza del sedile. Colonna a gas Ø 50 mm cromata. Base 5 razze in alluminio pulito Ø 660 mm. Ruote in polipropilene Ø 50 mm perno Ø 11 mm.


Per le specifiche relative alla versione panca vedi da pag. 219 in poi.

Polypropylene seat and backrest. Fiberglass-filled polypropylene seat outer cover. On request and for purchase quantities to be agreed with the sales department, seat and backrest can be supplied in fireproof version. In the 4-leg version, possibility of chromium-plated Ø 5 mm steel rod seat connection hooks for fixing to seat outer. Black polypropylene end-pieces. Front and rear legs, seat outer structure and sled frame in round tube Ø 22 mm, thickness 1.5 mm, in compliance with UNI 10305-3 standard. Maximum stackability: 6 chairs. Black epoxy-polyester powder coated trolley for transporting maximum 10 chairs, available from catalogue. Seat structure and backrest support of cantilever frame in round tube Ø 22 mm, thickness 2.5 mm, in ASF420 in compliance with UNI 10305-3 standard. Black polypropylene feet in cantilever version. Stool version: front and rear legs and seat outer structure made of round steel tube Ø 22 mm, thickness 1.5 mm, in compliance with UNI 10305-3 standard. Footrest made of steel rod Ø 11 mm.


Frame finish: chromium plating, average thickness 5 microns, or black or embossed grey epoxy-polyester powder coating, average thickness 50 microns. Swivel version: shell in round tube Ø 22 mm, thickness 1.5 mm, in compliance with UNI 10305-3 standard. Plate with gas lever for seat height adjustment. Chromium-plated Ø 50 mm gas column. 5-star base in Ø 660 mm polished aluminium. Polypropylene castors Ø 50 mm pin Ø 11 mm.

For the specifications of the bench version see from page 219 onwards.


REWIND 570 4 LEGS




REWIND 570 4 LEGS WITH ARMS




REWIND 570 4 LEGS WITH CASTORS





REWIND 570 4 LEGS FOR UPHOLSTERY




REWIND 570 4 LEGS WITH ARMS FOR UPHOLSTERY



REWIND 570 SWIVEL



Colori plastiche Plastic colours



Nero
Black



Bianco
White



Grigio cemento
Cement grey



Antracite
Anthracite


Parti in metallo Metal parts



Verniciato nero gofrato
Embossed black painted



Verniciato alluminio gofrato
Embossed painted aluminium




Cromato
Chromium plated



Alluminio pulito
Polished aluminium

Parti in plastica per basi girevoli Plastic for swivel bases



Nero
Black




Grigio luce
Light grey

Certificazioni Certifications




EN 16139


REWIND 570 CANTILEVER




REWIND 570 STOOL




REWIND 570 STOOL WITH ARMS



REWIND 570 ON CORE BENCH



REWIND 570 ON LINEAR BENCH



REWIND 570 ON 500 BENCH

